Castle Park Elementary School

2022-2023 School Accountability Report Card (Published During the 2023-2024 School Year)



Dream it. Believe it. Achieve it.

General Information about the School Accountability Report Card (SARC)

SARC Overview



By February 1 of each year, every school in California is required by state law to publish a School Accountability Report Card (SARC). The SARC contains information about the condition and performance of each California public school. Under the Local Control Funding Formula (LCFF) all local educational agencies (LEAs) are required to prepare a Local Control and Accountability Plan (LCAP), which describes how they intend to meet annual school-specific goals for all pupils, with specific activities to address state and local priorities. Additionally, data reported in an LCAP is to be consistent with data reported in the SARC.

- For more information about SARC requirements and access to prior year reports, see the California Department of Education (CDE) SARC web page at https://www.cde.ca.gov/ta/ac/sa/.
- For more information about the LCFF or the LCAP, see the CDE LCFF web page at https://www.cde.ca.gov/fg/aa/lc/.
- For additional information about the school, parents/guardians and community members should contact the school principal or the district office.

DataQuest



DataQuest is an online data tool located on the CDE DataQuest web page at https://dq.cde.ca.gov/dataquest/ that contains additional information about this school and comparisons of the school to the district and the county. Specifically, DataQuest is a dynamic system that provides reports for accountability (e.g., test data, enrollment, high school graduates, dropouts, course enrollments, staffing, and data regarding English learners).

California School Dashboard



The California School Dashboard (Dashboard)

https://www.caschooldashboard.org/ reflects California's new accountability and continuous improvement system and provides information about how LEAs and schools are meeting the needs of California's diverse student population. The Dashboard contains reports that display the performance of LEAs, schools, and student groups on a set of state and local measures to assist in identifying strengths, challenges, and areas in need of improvement.

Internet Access

Internet access is available at public libraries and other locations that are publicly accessible (e.g., the California State Library). Access to the Internet at libraries and public locations is generally provided on a first-come, first-served basis. Other use restrictions may include the hours of operation, the length of time that a workstation may be used (depending on availability), the types of software programs available on a workstation, and the ability to print documents.

2023-24 School Contact Information				
School Name	Castle Park Elementary School			
Street	25 Emerson St.			
City, State, Zip	Chula Vista, CA 91911			
Phone Number	16194225301			
Principal	Alicia Flores			
Email Address	alicia.flores@cvesd.org			
School Website	https://castlepark.cvesd.org/			
County-District-School (CDS) Code	CA			

2023-24 District Contact Information					
District Name	Chula Vista Elementary School District				
Phone Number	(619)425-9600				
Superintendent	Dr. Eduardo Reyes, Superintendent				
Email Address	eduardo.reyes@cvesd.org				
District Website	www.cvesd.org				

2023-24 School Description and Mission Statement

Description

Castle Park School is one of 50 schools, including charters, in the Chula Vista Elementary School District. CVESD is the largest TK-6 school district in California. The District is approximately five miles from the border with Mexico and serves about 29,600 students. Castle Park first opened its doors on February 18, 1952. During the 1996-97 school year, Castle Park School went through an extensive modernization process and was modernized again during the 2014-15 school year. The school is located in an older, established community of mostly single-family residences in Chula Vista. The socio-economic status of Castle Park's student body is reflected in the fact that the school qualifies for all students to receive free meals. Castle Park has a diverse racial-ethnic mix, which exposes students to the diverse cultures living in our school community. Many students attend Castle Park on zone transfers from other schools and communities.

Mission

At Castle Park, it is our goal to treat each child, staff member, parent, and community volunteer with respect. We are committed to helping each student develop socially and academically to reach his or her greatest potential. We believe that ongoing home-school communication and a program of student, staff, and volunteer recognition and appreciation will result in the development of a positive sense of self-esteem for everyone at the school and lead to a positive and safe learning environment.

About this School

2022-23 Student Enrollment by Grade Level

Grade Level	Number of Students
Kindergarten	45
Grade 1	57
Grade 2	38
Grade 3	56
Grade 4	65
Grade 5	63
Grade 6	58
Total Enrollment	382

2022-23 Student Enrollment by Student Group

Student Group	Percent of Total Enrollment
Female	45.8%
Male	54.2%
American Indian or Alaska Native	0.8%
Asian	0.5%
Black or African American	1.3%
Filipino	1%
Hispanic or Latino	91.4%
Two or More Races	1.3%
White	3.1%
English Learners	44%
Foster Youth	0.8%
Homeless	3.4%
Socioeconomically Disadvantaged	83%
Students with Disabilities	18.3%

A. Conditions of Learning State Priority: Basic

The SARC provides the following information relevant to the State priority: Basic (Priority 1):

- Degree to which teachers are appropriately assigned and fully credentialed in the subject area and for the pupils they are teaching;
- Pupils have access to standards-aligned instructional materials; and
- School facilities are maintained in good repair.

2020-21 Teacher Preparation and Placement

Authorization/Assignment	School Number	School Percent	District Number	District Percent	State Number	State Percent
Fully (Preliminary or Clear) Credentialed for Subject and Student Placement (properly assigned)	16.40	90.80	1227.00	88.68	228366.10	83.12
Intern Credential Holders Properly Assigned	0.00	0.00	5.10	0.37	4205.90	1.53
Teachers Without Credentials and Misassignments ("ineffective" under ESSA)	0.00	0.00	31.40	2.27	11216.70	4.08
Credentialed Teachers Assigned Out-of- Field ("out-of-field" under ESSA)	0.00	0.00	14.00	1.01	12115.80	4.41
Unknown	1.60	9.14	106.00	7.66	18854.30	6.86
Total Teaching Positions	18.10	100.00	1383.70	100.00	274759.10	100.00

Note: The data in this table is based on Full Time Equivalent (FTE) status. One FTE equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time. Additionally, an assignment is defined as a position that an educator is assigned based on setting, subject, and grade level. An authorization is defined as the services that an educator is authorized to provide to students.

2021-22 Teacher Preparation and Placement

Authorization/Assignment	School Number	School Percent	District Number	District Percent	State Number	State Percent
Fully (Preliminary or Clear) Credentialed for Subject and Student Placement (properly assigned)	18.30	95.67	1266.50	87.95	234405.20	84.00
Intern Credential Holders Properly Assigned	0.00	0.00	6.80	0.48	4853.00	1.74
Teachers Without Credentials and Misassignments ("ineffective" under ESSA)	0.00	0.00	22.80	1.59	12001.50	4.30
Credentialed Teachers Assigned Out-of- Field ("out-of-field" under ESSA)	0.00	0.00	33.90	2.36	11953.10	4.28
Unknown	0.80	4.33	109.80	7.63	15831.90	5.67
Total Teaching Positions	19.10	100.00	1440.10	100.00	279044.80	100.00

The CDE published the first year of available teacher data for the 2020-21 SARC in June 2022, and the CDE published the second year of data for the 2021-22 SARC in June 2023. The EC Section 33126(b)(5) requires the most recent three years of teacher data to be requested in the SARC, as data is available. The teacher data for the 2022-23 SARC will not be available prior to February 1, 2024, and therefore is not included in the template.

Note: The data in this table is based on Full-Time Equivalent (FTE) status. One FTE equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time. Additionally, an assignment is defined as a position that an educator is assigned based on setting, subject, and grade level. An authorization is defined as the services that an educator is authorized to provide to students.

Teachers Without Credentials and Misassignments (considered "ineffective" under ESSA)

Authorization/Assignment	2020-21	2021-22
Permits and Waivers	0.00	0.00
Misassignments	0.00	0.00
Vacant Positions	0.00	0.00
Total Teachers Without Credentials and Misassignments	0.00	0.00

The teacher data for the 2022-23 SARC will not be available prior to February 1, 2024, and therefore is not included in the template.

Credentialed Teachers Assigned Out-of-Field (considered "out-of-field" under ESSA)

Indicator	2020-21	2021-22
Credentialed Teachers Authorized on a Permit or Waiver	0.00	0.00
Local Assignment Options	0.00	0.00
Total Out-of-Field Teachers	0.00	0.00

The teacher data for the 2022-23 SARC will not be available prior to February 1, 2024, and therefore is not included in the template.

Class Assignments

Indicator	2020-21	2021-22
Misassignments for English Learners (a percentage of all the classes with English learners taught by teachers that are misassigned)	0	0
No credential, permit or authorization to teach (a percentage of all the classes taught by teachers with no record of an authorization to teach)	0	0

The teacher data for the 2022-23 SARC will not be available prior to February 1, 2024, and therefore is not included in the template.

Note: For more information refer to the Updated Teacher Equity Definitions web page at https://www.cde.ca.gov/pd/ee/teacherequitydefinitions.asp.

2023-24 Quality, Currency, Availability of Textbooks and Other Instructional Materials

The Chula Vista Elementary School District follows the State's curriculum cycle to adopt updated, high-quality textbooks and related materials. The evaluation and adoption of textbooks and instructional materials are based on recommendations by committees of our District's school staff and community members.

Students are provided with an adequate supply of Board-approved textbooks for all subject areas. The reading/language arts and mathematics curricula are aligned with the California Common Core Standards. All of our students have access to textbooks and supportive instructional materials in all core subjects, which are in good condition. Core materials are available in both English and Spanish. An inventory of books is warehoused centrally for growth needs at the schools.

The District's vision is to prepare students to succeed in the 21st Century and is committed to providing students with 21st-century tools, and the necessary infrastructure to support said tools. The District also invested in software applications to assist with formative and summative assessments, literacy skills, mathematics, and language acquisition. In addition, teachers are integrating technology tools to facilitate day to day tasks such as attendance, report cards, and electronic communication.

Year and month in which the data were collected

July 2023

Subject	Textbooks and Other Instructional Materials/year of Adoption	From Most Recent Adoption ?	Percent Students Lacking Own Assigned Copy
Reading/Language Arts	Benchmark Advance and Benchmark Adelante - adopted July 2017	Yes	0%
Mathematics	iReady Math Curriculum - adopted July 2023	Yes	0%
Science	TWIGs Science Curriculum - adopted July 2023	No	0%
History-Social Science	Harcourt Social Studies Kindergarten – Sixth grade (English & Spanish). Adopted Spring 2007.	No	0%
Foreign Language	N/A		N/A
Health	N/A		N/A
Visual and Performing Arts	N/A		N/A
Science Laboratory Equipment (grades 9-12)	N/A	N/A	N/A

School Facility Conditions and Planned Improvements

Classroom space at Castle Park Elementary School is adequate to support our school's current enrollment. The District maintains a planned program, which ensures routine maintenance functions are performed on a scheduled basis. Castle Park custodial staff

performs basic cleaning operations daily.

Year and month of the most recent FIT report

10/22/2023

	Rate	Rate	Rate	
System Inspected	Good	Fair	Poor	Repair Needed and Action Taken or Planned
Systems: Gas Leaks, Mechanical/HVAC, Sewer	X			:
Interior: Interior Surfaces		X		Conference room: sagging ceiling tile; floor squeeking; door frame paint chipped CR (E) 801: cracked ceiling tiles; 1 light panel out, stained ceiling tile,* Household wipes, insecticides, disinfecting sprays, spray paints and cleaning products (no MSDS present on site - health hazard), data cable loose CR (Pre-K) 901: carpet stained // dirty walls // Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR 401: Sink countertop chipped, low water pressure CR 402: low water pressure, remove adhesive from surfaces CR 604: rusted drain cover in sink // covebase loose
Cleanliness: Overall Cleanliness, Pest/Vermin Infestation		X		Boys RR: RR Flooor needs to be clean with acid cleaner and gout needs to sealed // loose toilet from anchors 300 Girls RR: RR Flooor needs to be clean with acid cleaner and gout needs to sealed // 1st stall toilet loose 500 Adult RR: Left Restroom toilet loose from anchors // RR Flooor needs to be clean with acid cleaner and gout needs to sealed 500 Boys RR: 1 loose toilet seat // RR Flooor needs to be clean with acid cleaner and gout needs to sealed 500 Girls RR: Broken soap dispenser // RR Flooor needs to be clean with acid cleaner and gout needs to sealed CR 802: Sagging ceiling tiles; sink needs caulking; sink stain; stained ceiling tiles (needs deep cleaning) Lounge: VCT Floor needs to be reconditioned, (Deep scrub with Pro-strip Ultra Heavy Duty Stripper

clear and unobstructed means of access with a minimum width of 30 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. Fire code CFC Section 604.3 400 Storage FACP: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 Comp. Lab 201: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR (E) 801: cracked ceiling tiles; 1 light panel out, stained ceiling file, 1 Household wipes, insecticides, disinfecting sprays, spray paints and cleaning products (no MSDS present on site - health hazard), data cable loose CR (Pre-K) 901: carpet stained // dirty walls // Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches, 36 inches in depth and a minimum height of 78 inches, 36 inches in depth and a minimum height of 78 inches, 36 inches in depth and a minimum height of 78 inches, 36 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR 501: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches shall be maintained from the operating face of the panel to an aisle or corridor. Fire code CFC Section 604.3 CR 501: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR						
Finish at least 2-3 coats. Multipurpose: cobwebs interior and exterior area // HC lift used as a storage for custodial items - non ADA Complaint Play Ground: Cobwebs PreK Play Toy: needs cleaning Stage Right Office: Wall needs cleaning Stage Right Office: Wall needs cleaning Index Right Office: Wall needs cleaning Stage Right Office: Wall needs cleaning Stage Right Office: Wall needs cleaning Index Right Office: Wall needs cleaning Stage Right Office: Wall needs cleaning in the provide clear and unobstructed means of access with a minimum width of 30 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. Fire code CFC Section 604.3 400 Storage FACP: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 Comp. Lab 201: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 Comp. Lab 201: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR (E) 301: cracked ceiling tiles; 1 light panel out, stained ceiling tile; 1 l	School Facility Conditions and Planne	d Improvem	ents			
clear and unobstructed means of access with a minimum width of 30 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. Fire code CFC Section 604.3 400 Storage FACP: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 Comp. Lab 201: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR (E) 801: cracked ceiling tiles; 1 light panel out, stained ceiling file, 1 Household wipes, insecticides, disinfecting sprays, spray paints and cleaning products (no MSDS present on site - health hazard), data cable loose CR (Pre-K) 901: carpet stained // dirty walls // Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches, 36 inches in depth and a minimum height of 78 inches, 36 inches in depth and a minimum height of 78 inches, 36 inches in depth and a minimum height of 78 inches, 36 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR 501: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches shall be maintained from the operating face of the panel to an aisle or corridor. Fire code CFC Section 604.3 CR 501: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR			Finish at least 2-3 coats. Multipurpose: cobwebs interior and exterior area // HC lift used as a storage for custodial items - non ADA Complaint Play Ground: Cobwebs PreK Play Toy: needs cleaning			
listed in accordance with UL1363. (fire code CFC	Electrical	X	minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. Fire code CFC Section 604.3 400 Storage FACP: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 Comp. Lab 201: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR (E) 801: cracked ceiling tiles; 1 light panel out, stained ceiling tile,* Household wipes, insecticides, disinfecting sprays, spray paints and cleaning products (no MSDS present on site - health hazard), data cable loose CR (Pre-K) 901: carpet stained // dirty walls // Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR 302: Provide Clearance for Electrical Panel - clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. Fire code CFC Section 604.3 CR 501: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR 501: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum height of 78 inches shall be maintained from the operating face of the			

School Facility Conditions and Planned	d Improver	nents
		Toaster, microwave, Heaters, etc. // Educational occupancies all drapes, hanging curtains, drops, and all other decorative material, including x-mas trees, shall be non-flammable material or be treated by A LICENSED CSFM APPROVED APPLICATOR with a flame retardant and A CERTIFICATE WITH A CSFM SEAL IS REQUIRED. (fire code CFC, Section 807.5.2.3) CR 504: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR 601: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR 602: Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR 702: buildup around drain in sink // Unapproved Devices - shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC 604.1.1) * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc
Restrooms, Sinks/ Fountains	X	Boys RR: RR Flooor needs to be clean with acid cleaner and gout needs to sealed // loose toilet from anchors 300 Girls RR: RR Flooor needs to be clean with acid cleaner and gout needs to sealed // 1st stall toilet loose Conference room: Hot water not working; back splash needs caulking next to sink // Unapproved Devices - shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC 604.1.1) * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc CR 402: low water pressure, remove adhesive from surfaces CR 702: buildup around drain in sink // Unapproved Devices - shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC 604.1.1) * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc

School Facility Conditions and Planned Improvements Health Office: RR Flooor needs to be clean with acid cleaner and gout needs to sealed KCR 102: sink needs cleaning with klean brite // Ceiling clearance Storage shall be maintained a minimum of 24 inches below the ceiling in non-sprinklered buildings and 18 inches below sprinkler deflectors in sprinklered buildings. Multiple storage rooms noted to have storage above 24 inches from ceiling. Remove or reduce storage to not impede the 24 inches below the ceiling. This shall be enforced throughout the campus.CFC Section 315.3.1 Work Room: Door mechanism leaking access to campus // restrooms for staff needs ceramic tile to be deep cleanedacid cleaner and grout needs to be sealed. ?? Toilet loose from anchors Χ Safety: Admin: Unapproved Devices shall be polarized, grounded, and equipped with overcurrent protection & Fire Safety, Hazardous Materials listed in accordance with UL1363. * Aromatherapy Diffuser (fire and safety concern - per district policy items are not allowed) CFC 604.1.1 * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc. in use (fire and safety concern - per district policy items are not allowed) Conference room: Hot water not working; back splash needs caulking next to sink // Unapproved Devices shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC 604.1.1) * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc. CR(E) 801: cracked ceiling tiles; 1 light panel out, stained ceiling tile,* Household wipes, insecticides, disinfecting sprays, spray paints and cleaning products (no MSDS present on site - health hazard), data cable loose CR (Pre-K) 901: carpet stained // dirty walls // Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches. 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3 CR 303: Unapproved Devices - shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC 604.1.1) * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc. in use (fire and safety concern - per district policy items are not allowed) CR 304: Unapproved Devices - shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC 604.1.1)* Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc. in use (fire and safety concern - per district policy items are not allowed) CR

School Facility Conditions and Planned Improvements

502: Unapproved Devices - shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC 604.1.1) * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc. // Educational occupancies all drapes, hanging curtains, drops, and all other decorative material, including x-mas trees, shall be non-flammable material or be treated by A LICENSED CSFM APPROVED APPLICATOR with a flame retardant and A CERTIFICATE WITH A CSFM SEAL IS REQUIRED. (fire code CFC, Section 807.5.2.3)

CR

503: Unapproved Devices - shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC 604.1.1) * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc // * Bean Bags, Couches and sofas not treated (shall be non-flammable material or be treated by A LICENSED CSFM APPROVED APPLICATOR with a flame retardant and A CERTIFICATE WITH A CSFM SEAL IS REQUIRED.) * Combustible materials used in decoration and scenery shall be flame resistant in accordance with provisions set forth in CCR, Title 19, Division 1, Chap. 8.

CR

702: buildup around drain in sink // Unapproved Devices - shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC 604.1.1) * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc KCR

101: Ceiling clearance Storage shall be maintained a minimum of 24 inches below the ceiling in non-sprinklered buildings and 18 inches below sprinkler deflectors in sprinklered buildings. Multiple storage rooms noted to have storage above 24 inches from ceiling. Remove or reduce storage to not impede the 24 inches below the ceiling. This shall be enforced throughout the campus.

CFC Section 315.3.1

KCR

102: sink needs cleaning with klean brite // Ceiling clearance Storage shall be maintained a minimum of 24 inches below the ceiling in non-sprinklered buildings and 18 inches below sprinkler deflectors in sprinklered buildings. Multiple storage rooms noted to have storage above 24 inches from ceiling. Remove or reduce storage to not impede the 24 inches below the ceiling. This shall be enforced throughout the campus.CFC Section 315.3.1

Multipurpose: cobwebs interior and exterior area // HC lift used as a storage for custodial items - non ADA Complaint

Office

701: Unapproved Devices - shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. (fire code CFC

School Facility Conditions and Planned Improvements								
			604.1.1) * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc Principal: Unapproved Devices shall be polarized, grounded, and equipped with overcurrent protection & listed in accordance with UL1363. * Coffee maker, Tea Pots, Refrigerator, Toaster, microwave, Heaters, etc. in use (fire and safety concern - per district policy items are not allowed)					
Structural: Structural Damage, Roofs	Х		CR (Pre-K) 901: carpet stained // dirty walls // Provide Clearance for Electrical Panel - A clear and unobstructed means of access with a minimum width of 30 inches, 36 inches in depth and a minimum height of 78 inches shall be maintained from the operating face of the panel to an aisle or corridor. CFC Section 604.3					
External: Playground/School Grounds, Windows/ Doors/Gates/Fences	X		CR 604: rusted drain cover in sink // covebase loose Kinder Play Toy: Needs a cover to plug hole Work Room: Door mechanism leaking access to campus // restrooms for staff needs ceramic tile to be deep cleanedacid cleaner and grout needs to be sealed. ?? Toilet loose from anchors					

Overall Facility Rate									
Exemplary	Good	Fair	Poor						
	X								

B. Pupil Outcomes

State Priority: Pupil Achievement

The SARC provides the following information relevant to the State priority: Pupil Achievement (Priority 4):

Statewide Assessments

(i.e., California Assessment of Student Performance and Progress [CAASPP] System includes the Smarter Balanced Summative Assessments for students in the general education population and the California Alternate Assessments [CAAs] for English language arts/literacy [ELA] and mathematics given in grades three through eight and grade eleven. Only eligible students may participate in the administration of the CAAs. CAAs items are aligned with alternate achievement standards, which are linked with the Common Core State Standards [CCSS] for students with the most significant cognitive disabilities).

The CAASPP System encompasses the following assessments and student participation requirements:

- 1. Smarter Balanced Summative Assessments and CAAs for ELA in grades three through eight and grade eleven.
- 2. Smarter Balanced Summative Assessments and CAAs for mathematics in grades three through eight and grade eleven.
- 3. California Science Test (CAST) and CAAs for Science in grades five, eight, and once in high school (i.e., grade ten, eleven, or twelve).

College and Career Ready

The percentage of students who have successfully completed courses that satisfy the requirements for entrance to the University of California and the California State University, or career technical education sequences or programs of study.

Percentage of Students Meeting or Exceeding the State Standard on CAASPP

This table displays CAASPP test results in ELA and mathematics for all students grades three through eight and grade eleven taking and completing a state-administered assessment.

Percentages are not calculated when the number of students tested is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

ELA and mathematics test results include the Smarter Balanced Summative Assessment and the CAA. The "Percent Met or Exceeded" is calculated by taking the total number of students who met or exceeded the standard on the Smarter Balanced Summative Assessment plus the total number of students who met the standard (i.e., achieved Level 3-Alternate) on the CAAs divided by the total number of students who participated in both assessments.

Subject	School 2021-22	School 2022-23	District 2021-22	District 2022-23	State 2021-22	State 2022-23
English Language Arts/Literacy (grades 3-8 and 11)	38	38	54	53	47	46
Mathematics (grades 3-8 and 11)	33	26	41	43	33	34

2022-23 CAASPP Test Results in ELA by Student Group

This table displays CAASPP test results in ELA by student group for students grades three through eight and grade eleven taking and completing a state-administered assessment.

ELA test results include the Smarter Balanced Summative Assessment and the CAA. The "Percent Met or Exceeded" is calculated by taking the total number of students who met or exceeded the standard on the Smarter Balanced Summative Assessment plus the total number of students who met the standard (i.e., achieved Level 3-Alternate) on the CAAs divided by the total number of students who participated in both assessments.

Double dashes (--) appear in the table when the number of students is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

The number of students tested includes all students who participated in the test whether they received a score or not; however, the number of students tested is not the number that was used to calculate the achievement level percentages. The achievement level percentages are calculated using only students who received scores.

CAASPP Student Groups	CAASPP Total Enrollment	CAASPP Number Tested	CAASPP Percent Tested	CAASPP Percent Not Tested	CAASPP Percent Met or Exceeded
All Students	240	234	97.50	2.50	38.03
Female	114	111	97.37	2.63	43.24
Male	126	123	97.62	2.38	33.33
American Indian or Alaska Native					
Asian	0	0	0	0	0
Black or African American					
Filipino					
Hispanic or Latino	217	211	97.24	2.76	37.44
Native Hawaiian or Pacific Islander	0	0	0	0	0
Two or More Races					
White					
English Learners	92	87	94.57	5.43	16.09
Foster Youth					
Homeless					
Military	0	0	0	0	0
Socioeconomically Disadvantaged	198	193	97.47	2.53	32.64
Students Receiving Migrant Education Services	0	0	0	0	0
Students with Disabilities	46	45	97.83	2.17	15.56

2022-23 CAASPP Test Results in Math by Student Group

This table displays CAASPP test results in Math by student group for students grades three through eight and grade eleven taking and completing a state-administered assessment.

Mathematics test results include the Smarter Balanced Summative Assessment and the CAA. The "Percent Met or Exceeded" is calculated by taking the total number of students who met or exceeded the standard on the Smarter Balanced Summative Assessment plus the total number of students who met the standard (i.e., achieved Level 3-Alternate) on the CAAs divided by the total number of students who participated in both assessments.

Double dashes (--) appear in the table when the number of students is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

The number of students tested includes all students who participated in the test whether they received a score or not; however, the number of students tested is not the number that was used to calculate the achievement level percentages. The achievement level percentages are calculated using only students who received scores.

CAASPP Student Groups	CAASPP Total Enrollment	CAASPP Number Tested	CAASPP Percent Tested	CAASPP Percent Not Tested	CAASPP Percent Met or Exceeded
All Students	240	239	99.58	0.42	26.16
Female	114	113	99.12	0.88	24.11
Male	126	126	100.00	0.00	28.00
American Indian or Alaska Native					
Asian	0	0	0	0	0
Black or African American					
Filipino					
Hispanic or Latino	217	216	99.54	0.46	25.23
Native Hawaiian or Pacific Islander	0	0	0	0	0
Two or More Races					
White					
English Learners	92	92	100.00	0.00	13.19
Foster Youth					
Homeless					
Military	0	0	0	0	0
Socioeconomically Disadvantaged	198	197	99.49	0.51	21.43
Students Receiving Migrant Education Services	0	0	0	0	0
Students with Disabilities	46	45	97.83	2.17	11.11

CAASPP Test Results in Science for All Students

This table displays the percentage of all students grades five, eight, and High School meeting or exceeding the State Standard.

Science test results include the CAST and the CAA. The "Percent Met or Exceeded" is calculated by taking the total number of students who met or exceeded the standard on the CAST plus the total number of students who met the standard (i.e., achieved Level 3-Alternate) on the CAAs divided by the total number of students who participated in both assessments.

The number of students tested includes all students who participated in the test whether they received a score or not; however, the number of students tested is not the number that was used to calculate the achievement level percentages. The achievement level percentages are calculated using only students who received scores.

Subject	School	School	District	District	State	State
	2021-22	2022-23	2021-22	2022-23	2021-22	2022-23
Science (grades 5, 8 and high school)	24.53	16.13	36.97	34.95	29.47	30.29

2022-23 CAASPP Test Results in Science by Student Group

This table displays CAASPP test results in Science by student group for students grades five, eight, and High School. Double dashes (--) appear in the table when the number of students is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

Student Group	Total Enrollment	Number Tested	Percent Tested	Percent Not Tested	Percent Met or Exceeded
All Students	63	63	100.00	0.00	17.46
Female	27	27	100.00	0.00	7.41
Male	36	36	100.00	0.00	25.00
American Indian or Alaska Native	0	0	0	0	0
Asian	0	0	0	0	0
Black or African American					
Filipino					
Hispanic or Latino	56	56	100.00	0.00	14.29
Native Hawaiian or Pacific Islander	0	0	0	0	0
Two or More Races					
White					
English Learners	27	27	100.00	0.00	7.41
Foster Youth					
Homeless					
Military	0	0	0	0	0
Socioeconomically Disadvantaged	54	54	100.00	0.00	12.96
Students Receiving Migrant Education Services	0	0	0	0	0
Students with Disabilities					

B. Pupil Outcomes

State Priority: Other Pupil Outcomes

The SARC provides the following information relevant to the State priority: Other Pupil Outcomes (Priority 8): Pupil outcomes in the subject area of physical education.

2022-23 California Physical Fitness Test Results

This table displays the percentage of students participating in each of the five fitness components of the California Physical Fitness Test Results. The administration of the PFT during 2021-22 and 2022-23 school years, only participation results are required for these five fitness areas. Percentages are not calculated and double dashes (--) appear in the table when the number of students tested is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

Grade Level	Component 1: Aerobic Capacity	Component 2: Abdominal Strength and Endurance	Component 3: Trunk Extensor and Strength and Flexibility	Component 4: Upper Body Strength and Endurance	Component 5: Flexibility
Grade 5	89.06%	87.50%	89.06%	87.50%	89.06%

C. Engagement

State Priority: Parental Involvement

The SARC provides the following information relevant to the State priority: Parental Involvement (Priority 3): Efforts the school district makes to seek parent input in making decisions regarding the school district and at each school site.

2023-24 Opportunities for Parental Involvement

Contact persons: Alicia Flores, Principal, and Nydia Cerecer, Resource Teacher

Contact Phone Number: (619) 422-5301

We encourage parents to visit and become active in our school. Parents and members of the community may become members of the School Site Council (SSC), the English Language Advisory Committee (ELAC), District Advisory Committee (DAC), District English Language Advisory Committee (DELAC), Parent Teacher Association (PTA), Budget Advisory Committee (BAC), and the Gifted and Talented (GATE) District Committee.

We believe that parents should share in the decision-making and governance of the school. Therefore input from the various parent groups is solicited when making important decisions affecting programs, schedules, and activities throughout the school year.

Increasing the level of parent involvement in our school continues to be a major goal at Castle Park School. Many hours of volunteer time were spent assisting our teachers and staff towards academic success for our students. We have noted an increase in the number of parents volunteering and participating in school activities prior to pandemic-related closure. Students love to see their parents helping in classrooms. Parents are encouraged to visit their student's classrooms regularly (prepandemic and post-pandemic if guidelines allow). If you would like to get involved at Castle Park School, please call (619) 422-5301. Office staff will assist with the fulfillment of volunteering requirements.

Castle Park Elementary will continue to provide opportunities to parents to actively participate in training and workshops to help students master academic grade-level standards, and achieve academic success. Volunteer training will be offered by Castle Park Elementary staff. A parent involvement committee has been established to determine how parents can become involved in their student's education and offer a support system for the ongoing transition to the new computer-based programs and curriculum.

2022-23 Chronic Absenteeism by Student Group

Student Group	Cumulative Enrollment	Chronic Absenteeism Eligible Enrollment	Chronic Absenteeism Count	Chronic Absenteeism Rate
All Students	413	399	127	31.8
Female	194	188	58	30.9
Male	219	211	69	32.7
Non-Binary	0	0	0	0.0
American Indian or Alaska Native	3	3	2	66.7
Asian	2	2	0	0.0
Black or African American	9	9	4	44.4
Filipino	4	4	1	25.0
Hispanic or Latino	376	362	116	32.0
Native Hawaiian or Pacific Islander	0	0	0	0.0
Two or More Races	5	5	0	0.0
White	12	12	4	33.3
English Learners	188	181	58	32.0
Foster Youth	4	4	0	0.0
Homeless	14	14	5	35.7
Socioeconomically Disadvantaged	340	333	109	32.7
Students Receiving Migrant Education Services	0	0	0	0.0
Students with Disabilities	79	79	28	35.4

C. Engagement

State Priority: School Climate

The SARC provides the following information relevant to the State priority: School Climate (Priority 6):

- Pupil suspension rates;
- Pupil expulsion rates; and
- Other local measures on the sense of safety

Suspensions and Expulsions

This table displays suspensions and expulsions data.

This table displays suspensions and expansions data.									
Rate	School 2020-21	School 2021-22	School 2022-23	District 2020-21	District 2021-22	District 2022-23	State 2020-21	State 2021-22	State 2022-23
Suspensions	0.00	0.93	3.15	0.02	0.68	1.16	0.20	3.17	3.60
Expulsions	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.07	0.08

2022-23 Suspensions and Expulsions by Student Group

Student Group	Suspensions Rate	Expulsions Rate
All Students	3.15	0
Female	2.06	0
Male	4.11	0
Non-Binary		
American Indian or Alaska Native	0	0
Asian	0	0
Black or African American	0	0
Filipino	0	0
Hispanic or Latino	2.93	0
Native Hawaiian or Pacific Islander	0	0
Two or More Races	0	0
White	8.33	0
English Learners	2.13	0
Foster Youth	0	0
Homeless	0	0
Socioeconomically Disadvantaged	3.24	0
Students Receiving Migrant Education Services	0	0
Students with Disabilities	6.33	0

2023-24 School Safety Plan

Student safety and well-being are promoted by activities, including emergency and earthquake preparedness, shelter in place, lock-down drills, and bus evacuation drills, enhanced playground supervision, drug, and alcohol abuse prevention education programs, child abuse awareness, and School Safety Patrol. All students will be supervised during recess time by staff. Any volunteers need to have an updated and cleared Tuberculosis test and fingerprints clearance. If volunteering more than one day per week, a fingerprint background check is required. The school is enclosed and remains locked while students are in session, and this includes during periods of extended day and YMCA programs. Any visitor must present a state or federal form of identification, which will be scanned into our new RAPTOR visitor management system. This system checks for any criminal record involving children, serving as a deterrent as well as a prevention measure by identifying adults who should not be around children. Once cleared, visitors receive a sticker badge. District employees and Promise Neighborhood personnel are required to wear employee badges at all times. Emergency maps are available at the office upon request. Emergency Procedures and Safety plans are available for review at the main office. A climate committee has been established to dialogue and implement systems to keep students safe. The School Site Council approved the Safety Plan in December of 2023. The Board of Education approval date for the CSSP is January 17, 2024.

D. Other SARC Information Information Required in the SARC

The information in this section is required to be in the SARC but is not included in the state priorities for LCFF.

2020-21 Elementary Average Class Size and Class Size Distribution

This table displays the 2020-21 average class size and class size distribution. The columns titled "Number of Classes" indicates how many classes fall into each size category (a range of total students per class). The "Other" category is for multi-grade level classes.

Grade Level	Average Class Size	Number of Classes with 1-20 Students	Number of Classes with 21-32 Students	Number of Classes with 33+ Students
K	13	2	1	
1	14	4		
2	17	2	2	
3	15	2	2	
4	16	2	1	
5	16	2	1	
6	15	2	1	

2021-22 Elementary Average Class Size and Class Size Distribution

This table displays the 2021-22 average class size and class size distribution. The columns titled "Number of Classes" indicates how many classes fall into each size category (a range of total students per class). The "Other" category is for multi-grade level classes.

olaccoo.				
Grade Level	Average Class Size	Number of Classes with 1-20 Students	Number of Classes with 21-32 Students	Number of Classes with 33+ Students
K	18	1	2	
1	14	2	1	
2	14	3	1	
3	16	2	2	
4	20	1	2	
5	13	2	2	
6	17	1	2	

2022-23 Elementary Average Class Size and Class Size Distribution

This table displays the 2022-23 average class size and class size distribution. The columns titled "Number of Classes" indicates how many classes fall into each size category (a range of total students per class). The "Other" category is for multigrade level classes.

9				
Grade Level	Average Class Size	Number of Classes with 1-20 Students	Number of Classes with 21-32 Students	Number of Classes with 33+ Students
K	11	4	0	0
1	14	2	2	0
2	10	4	0	0
3	14	2	2	0
4	22	1	2	0
5	21	1	2	0
6	15	2	2	0
Other	0	0	0	0

2022-23 Ratio of Pupils to Academic Counselor

This table displays the ratio of pupils to Academic Counselor. One Full Time Equivalent (FTE) equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time.

Title	Ratio
Pupils to Academic Counselor	0

2022-23 Student Support Services Staff

This table displays the number of FTE support staff assigned to this school. One Full Time Equivalent (FTE) equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time.

Title	Number of FTE Assigned to School
Counselor (Academic, Social/Behavioral or Career Development)	
Library Media Teacher (Librarian)	
Library Media Services Staff (Paraprofessional)	
Psychologist	1.1
Social Worker	
Nurse	0.5
Speech/Language/Hearing Specialist	1
Resource Specialist (non-teaching)	
Other	2

Fiscal Year 2021-22 Expenditures Per Pupil and School Site Teacher Salaries

This table displays the 2021-22 expenditures per pupil and average teacher salary for this school. Cells with N/A values do not require data.

Level	Total Expenditures Per Pupil	Expenditures Per Pupil (Restricted)	Expenditures Per Pupil (Unrestricted)	Average Teacher Salary
School Site	16,214.93	6,534.01	9,680.92	80,828
District	N/A	N/A	8,864.49	\$87,887
Percent Difference - School Site and District	N/A	N/A	8.8	-5.6
State	N/A	N/A	\$7,607	\$89,574
Percent Difference - School Site and State	N/A	N/A	37.9	-7.7

Fiscal Year 2022-23 Types of Services Funded

Castle Park Elementary School funds one Resource Teacher to support teachers, staff, and families with curriculum, instruction, and assessments. Castle Park also funds an ELIA to support English Learners through small group instruction. Castle Park additionally hosts an after-school extended day program to provide students with additional support.

Additionally, Castle Park utilizes a number of educational technology programs including: Accelerated Reader Smarty Ants
Achieve3000

iReady Math

Through all of these interventions, Castle Park is seeking to use its funds in the best way possible to help all students succeed academically.

Fiscal Year 2021-22 Teacher and Administrative Salaries

This table displays the 2021-22 Teacher and Administrative salaries. For detailed information on salaries, see the CDE Certification Salaries & Benefits web page at http://www.cde.ca.gov/ds/fd/cs/.

Category	District Amount	State Average for Districts in Same Category	
Beginning Teacher Salary	\$54,003	\$54,215	
Mid-Range Teacher Salary	\$81,474	\$86,843	
Highest Teacher Salary	\$108,524	\$111,440	
Average Principal Salary (Elementary)	\$147,193	\$140,851	
Average Principal Salary (Middle)	\$0	\$147,065	
Average Principal Salary (High)	\$0	\$142,189	
Superintendent Salary	\$270,400	\$252,466	
Percent of Budget for Teacher Salaries	36.2%	33.16%	
Percent of Budget for Administrative Salaries	4.69%	5.15%	

Professional Development

The improvement of teaching and learning on campus is of vital importance to strengthening the Castle Park educational community. Each year, targeted professional improvement opportunities are provided for teachers, instructional aides, and other employees. Professional development takes place in the form of staff presentations, teacher collaboration, demonstration lessons performed by the Resource Teacher, peer observations, and collaborative time for teams to implement learning. This learning occurs within our school and within our district cohort of schools.

The principal and staff instructional leadership teamwork collaboratively to plan and provide professional development during staff meetings and during weekly grade-level collaboration. Across all content areas, making learning visible through the use of success criteria and teacher clarity has been a focus for staff.

The academic focus for English Language Arts is that all students will show measurable growth in grade-level text with purpose, understanding, and comprehension through the use of high impact reading strategies. Mathematics professional development has focused on small group instruction and collaborative conversations. Teachers are working closely with the District Math Resource Teacher and cohort as they engage in this work.

Castle Park Staff have also been receiving additional training in the teaching of Designated ELD and continues to participate with Project GLAD, and are working on both designated and integrated supports for students. Further, the staff has been trained in various trauma-informed practices such as self-regulation, mindfulness, and the emotional brain in addition to social justice curriculum integration.

All professional development will be consistent with all four School Plan for Student Achievement (SPSA) goals: English Language Arts, Math, Writing, GATE, and English Language Development.

This table displays the number of school days dedicated to staff development and continuous improvement.

Subject	'	2023-24
Number of school days dedicated to Staff Development and Continuous Improvement	32	